

Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes SA-213 Grade 18Cr-2Mo Mechanical properties, Physical properties, Mechanical properties, Heat treatment, SA-213 Grade 18Cr-2Mo Supplier

Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes SA-213 Grade 18Cr-2Mo steel chemical information, mechanical properties, physical properties, mechanical properties, heat treatment, and Micro structure, We can produce round bars, forged rings, forged cakes, flat bars, tubes, sheets, plates, steel wires, steel strips, steel coils, etc. The size can be customized, the maximum order quantity is 100Kg. It also contains the use of SA-213 Grade 18Cr-2Mo, such as it is commonly used in bars, sheet, plates, steel coils, steel pipes, forged and other materials application.

Data Table for Materials Stainless Steels & Special Steels Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes SA-213 Grade 18Cr-2Mo

SA-213 Grade 18Cr-2Mo Standard Number					
ITEM	Standard Number	Descriptions			
1	SA-213/SA-213M	Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes			

5A-213 Grade 18Cr-2Mo Chemical composition(mass fraction)(wt.%)							
Chemical	Min.(%)	Max.(%)					
С		0.08					
Si		1.00					
Mn		2.00					
P		0.045					
S		0.03					
Ni	13.00	15.00					
Cr	17.00	19.00					
Al							
Cu							
Ti							
Fe							
N							



Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes SA-213 Grade 18Cr-2Mo Mechanical properties, Physical properties, Mechanical properties, Heat treatment, SA-213 Grade 18Cr-2Mo Supplier

	Мо			1.75			2.75		
	V								
С	Si	Mn	Р	S	Cr	Ni	Мо	V	Ta
W	N	Cu	Со	Pb	В	Nb	Al	Ti	Other

SA-213 Grade 18Cr-2Mo Physical Properties					
Tensile strength	115-234	σb/MPa			
Yield Strength	23	σ 0.2 ≥/MPa			
Elongation	65	δ5≥ (%)			
Ψ	-	ψ≥ (%)			
Akv	-	Akv≥/J			
HBS	123-321	-			
HRC	30	-			

SA-213 Grade 18Cr-2Mo Mechanical Properties						
Tensile strength	231-231	σb/MPa				
Yield Strength	154	σ 0.2 ≥/MPa				
Elongation	56	δ5≥(%)				
Ψ	-	ψ≥(%)				
Akv	-	Akv≥/J				
HBS	235-268	-				
HRC	30	-				

SA-213 Grade 18Cr-2Mo Heat Treatment Regime						
Annealing Quenching Tempering Normalizing Q & T						
$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		



Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes SA-213 Grade 18Cr-2Mo Mechanical properties, Physical properties, Mechanical properties, Heat treatment, SA-213 Grade 18Cr-2Mo Supplier

SA-213 Grade 18Cr-2Mo Range of products						
Product type	Products	Dimension	Processes	Deliver Status		
Plates / Sheets	Plates / Sheets	0.08-200mm(T)*W*L	Forging, hot rolling and cold rolling	Annealed, Solution and Aging, Q+T, ACID-WASHED, Shot Blasting		
Steel Bar	Round Bar, Flat Bar, Square Bar	Φ8-1200mm*L	Forging, hot rolling and cold rolling, Cast	Black, Rough Turning, Shot Blasting,		
Coil / Strip	Steel Coil /Steel Strip	0.03-16.0x1200mm	Cold-Rolled & Hot- Rolled	Annealed, Solution and Aging, Q+T, ACID-WASHED, Shot Blasting		
Pipes / Tubes	Seamless Pipes/Tubes, Welded Pipes/Tubes	OD:6-219mm x WT:0.5-20.0mm	Hot extrusion, Cold Drawn, Welded	Annealed, Solution and Aging, Q+T, ACID-WASHED		

# We can produce Stainless Steels & Special Steels the specifications follows:

Note:

(1) listed in the table apex diameter (d), to steel thickness (a) multiples said.

(2) in the ASTM A6 standard specified scope can meet any additional conditions.

(3) from the standard for 50 mm (2 in).

Mechanical properties

Mechanische Eigenschaften

Caracteristiques mecaniques

ReH Minimum yield strength / Mindestwert der oberen Streckgrenze / Limite d'elasticite minimale

Rm Tensile strength / Zugfestigkeit / Resistance a la traction

A Minimum elongation / Mindestwert der Bruchdehnung / Allongement minimal

J Notch impact test / Kerbschlagbiegeversuch / Essai de flexion par choc

Round bar:

Diameter: 1mm-2000mm

Square bar:

Size: 50mm \* 50mm-600mm \*600mm

Plate steel/flat bar:

Size: Thickness: 0.1mm-800mm Width: 10mm to 1500mm

Tube/pipe:



Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes SA-213 Grade 18Cr-2Mo Mechanical properties, Physical properties, Mechanical properties, Heat treatment, SA-213 Grade 18Cr-2Mo Supplier

Size: OD: 6-219mm WT: 1-35 mm.

Cold-rolled sheet: Thickness: 2-5mm Width:1000mm Length: 2000mm

Hot-rolled sheet: Thickness:6-80mm Width: 210-610mm

Length: We can supply any length based on the customer's requirement.

Forging/hot rolling/ extrusion of steel.

Forging: Shafts with flanks/pipes/tubes/slugs/donuts/cubes/other shapes

Finished goods condition: hot forging/hot rolling + annealing/normalizing + tempering/quenching +

tempering/any conditions based on the customer's requirement

Surface conditions: scaled (hot working finish)/ground/rough machining/fine machining/based on

the customer's requirement

Furnaces for metallurgical processing: electrode arc + LF/VD/VOD/ESR/Vacuum consumable electrode.

Ultrasonic inspection: 100% ultrasonic inspection for any inperfections or based on the customer's requirement.

UTS according to SEP 1921 C/c,D/d,E/e;A388 or GB/T 6402

Excellent service for all kinds of industries, with advantages of technologies, equipment and price.

We serve you with our bonesty, integrity, and professionality.